

PUBLIKATION

PROF. DR. MED. PHILIP SCHOETTLE

[Chondrocyte Culture Parameters for Matrix-Assisted Autologous Chondrocyte Implantation Affect Catabolism and Inflammation in a Rabbit Model.](#)

Sauerschnig M, Berninger MT, Kaltenhauser T, Plecko M, Wexel G, Schönfelder M, Wienerroither V, Imhoff AB, Schöttle PB, Rosado Balmayor E, Salzmann GM.

Int J Mol Sci. 2019 Mar 27;20(7). pii: E1545. doi: 10.3390/ijms20071545.

[Isolated medial patellofemoral ligament reconstruction for patella instability is insufficient for higher degrees of internal femoral torsion.](#)

Kaiser P, Schmoelz W, Schöttle PB, Heinrichs C, Zwierzina M, Attal R.

Knee Surg Sports Traumatol Arthrosc. 2019 Mar;27(3):758-765. doi: 10.1007/s00167-018-5065-5. Epub 2018 Jul 30.

[Successful adaption of the Banff Patella Instability Instrument \(BPII\) 2.0 into German.](#)

Becher C, Attal R, Balcarek P, Dirisamer F, Liebensteiner M, Pagenstert G, Schöttle P, Seitlinger G, Wagner D.

Knee Surg Sports Traumatol Arthrosc. 2018 Sep;26(9):2679-2684. doi: 10.1007/s00167-017-4673-9. Epub 2017 Aug 7.

[Increased internal femoral torsion can be regarded as a risk factor for patellar instability – A biomechanical study.](#)

Kaiser P, Schmoelz W, **Schoettle P**, Zwierzina M, Heinrichs C, Attal R.

Clin Biomech (Bristol, Avon). 2017 Aug;47:103-109. doi: 10.1016/j.clinbiomech.2017.06.007. Epub 2017 Jun 10.

[Not Missing the Future: A Call to Action for Investigating the Role of Regenerative Medicine Therapies in Pediatric/Adolescent Sports Injuries.](#)

Best TM, Caplan A, Coleman M, Goodrich L, Hurd J, Kaplan LD, Noonan B, **Schoettle P**, Scott C, Stiene H, Huard J.

Curr Sports Med Rep. 2017 May/Jun;16(3):202-210. doi: 10.1249/JSR.0000000000000357.

[Guidelines for Treatment of Lateral Patella Dislocations in Skeletally Mature Patients.](#)

Liebensteiner MC, Dirisamer F, Balcarek P, **Schoettle P**.

Am J Orthop (Belle Mead NJ). 2017 Mar/Apr;46(2):E86-E96.

[Biomechanical evaluation of a novel dynamic posterior cruciate ligament brace.](#)

Heinrichs CH, Schmoelz W, Mayr R, Keiler A, **Schöttle PB**, Attal R.

Clin Biomech (Bristol, Avon). 2016 Mar;33:20-5. doi: 10.1016/j.clinbiomech.2016.02.001.

[A matched-pair comparison of inlay and onlay trochlear designs for patellofemoral arthroplasty: no differences in clinical outcome but less progression of osteoarthritis with inlay designs.](#)

Feucht MJ, Cotic M, Beitzel K, Baldini JF, Meidinger G, **Schöttle PB**, Imhoff AB.

Knee Surg Sports Traumatol Arthrosc. 2015 Aug 1.

[Early results after modular non-cemented reverse total shoulder arthroplasty: a prospective single-centre study of 38 consecutive cases.](#)

Saier T, Cotic M, Kirchhoff C, Feucht MJ, Minzlaff P, Glanzmann MC, **Schöttle P**, Imhoff AB.

J Orthop Sci. 2015 Sep;20(5):830-6. doi: 10.1007/s00776-015-0734-4.

[Patellofemoral Dysfunction in Sports Trochleoplasty: Indications and Techniques.](#)

Ryzek DF, **Schöttle P**.

J Knee Surg. 2015 Aug;28(4):297-302. doi: 10.1055/s-0034-1398374.

[Medial patellofemoral ligament: anatomy, injury and treatment in the adolescent knee.](#)

Hensler D, Sillanpaa PJ, **Schoettle PB**.

Curr Opin Pediatr. 2014 Feb;26(1):70-8. doi: 10.1097/MOP.0000000000000055.

[Prospective evaluation of anatomic patellofemoral inlay resurfacing: clinical, radiographic, and sports-related results after 24 months.](#)

Imhoff AB, Feucht MJ, Meidinger G, **Schöttle PB**, Cotic M.

Knee Surg Sports Traumatol Arthrosc. 2015 May;23(5):1299-307. doi: 10.1007/s00167-013-2786-3.

[Isolated and combined medial patellofemoral ligament reconstruction in revision surgery for patellofemoral instability: a prospective study.](#)

Kohn LM, Meidinger G, Beitzel K, Banke IJ, Hensler D, Imhoff AB, **Schöttle PB**.

Am J Sports Med. 2013 Sep;41(9):2128-35. doi: 10.1177/0363546513498572.

[Combined trochleoplasty and MPFL reconstruction for treatment of chronic patellofemoral instability: a prospective minimum 2-year follow-up study.](#)

Banke IJ, Kohn LM, Meidinger G, Otto A, Hensler D, Beitzel K, Imhoff AB, **Schöttle PB**.

Knee Surg Sports Traumatol Arthrosc. 2014 Nov;22(11):2591-8. doi: 10.1007/s00167-013-2603-z.

[Prospective clinical and radiological two-year results after patellofemoral arthroplasty using an implant with an asymmetric trochlea design.](#)

Beitzel K, **Schöttle PB**, Cotic M, Dharmesh V, Imhoff AB.

Knee Surg Sports Traumatol Arthrosc. 2013 Feb;21(2):332-9. doi: 10.1007/s00167-012-2022-6.

[\[Anatomical double-bundle reconstruction of the medial patellofemoral ligament with a gracilis autograft\].](#)

Quirbach S, Smekal V, Rosenberger RE, El Attal R, **Schöttle PB**.

Oper Orthop Traumatol. 2012 Apr;24(2):131-9. doi: 10.1007/s00064-011-0123-x.

[The dependence of autologous chondrocyte transplantation on varying cellular passage, yield and culture duration.](#)

Salzmann GM, Sauerschnig M, Berninger MT, Kaltenhauser T, Schönfelder M, Vogt S, Wexel G, Tischer T, Sudkamp N, Niemeyer P, Imhoff AB, **Schöttle PB**.

Biomaterials. 2011 Sep;32(25):5810-8. doi: 10.1016/j.biomaterials.2011.04.073.

[\[Double-bundle technique–anatomic reconstruction of the posterior cruciate ligament\].](#)

Rauch AC, **Schöttle PB**, Beitzel K, Imhoff AB.

Oper Orthop Traumatol. 2010 Oct;22(4):387-401. doi: 10.1007/s00064-010-9037-2.

[Regulation of the patellofemoral contact area: an essential mechanism in patellofemoral joint mechanics?](#)

Goudakos IG, König C, **Schöttle PB**, Taylor WR, Hoffmann JE, Pöppelau BM, Singh NB, Duda GN, Heller MO.

J Biomech. 2010 Dec 1;43(16):3237-9. doi: 10.1016/j.jbiomech.2010.07.029.

[The relationship between trochlear dysplasia and medial patellofemoral ligament rupture location after patellar dislocation: an MRI evaluation.](#)

Weber-Spickschen TS, Spang J, Kohn L, Imhoff AB, **Schöttle PB**.

Knee. 2011 Jun;18(3):185-8. doi: 10.1016/j.knee.2010.04.002.

[The arthroscopic deepening trochleoplasty.](#)

Blønd L, **Schöttle PB**.

Knee Surg Sports Traumatol Arthrosc. 2010 Apr;18(4):480-5. doi: 10.1007/s00167-009-0935-5.

[T2 assessment and clinical outcome following autologous matrix-assisted chondrocyte and osteochondral autograft transplantation.](#)

Salzmann GM, Paul J, Bauer JS, Woertler K, Sauerschnig M, Landwehr S, Imhoff AB, **Schöttle PB**.

Osteoarthritis Cartilage. 2009 Dec;17(12):1576-82. doi: 10.1016/j.joca.2009.07.010.

[Stair climbing results in more challenging patellofemoral contact mechanics and kinematics than walking at early knee flexion under physiological-like quadriceps loading.](#)

Goudakos IG, König C, **Schöttle PB**, Taylor WR, Singh NB, Roberts I, Streitparth F, Duda GN, Heller MO.

J Biomech. 2009 Nov 13;42(15):2590-6. doi: 10.1016/j.jbiomech.2009.07.007.

[Osteochondral defect repair after implantation of biodegradable scaffolds: indirect magnetic resonance arthrography and histopathologic correlation.](#)

Streitparth F, **Schöttle P**, Schlichting K, Schell H, Fischbach F, Denecke T, Duda GN, Schröder RJ.

Acta Radiol. 2009 Sep;50(7):765-74. doi: 10.1080/02841850902980272.

[Anatomical double-bundle MPFL reconstruction with an aperture fixation.](#)

Schöttle PB, Hensler D, Imhoff AB.

Knee Surg Sports Traumatol Arthrosc. 2010 Feb;18(2):147-51. doi: 10.1007/s00167-009-0868-z.

[Comparison of native axial radiographs with axial MR imaging for determination of the trochlear morphology in patients with trochlear dysplasia.](#)

Salzmann GM, Weber TS, Spang JT, Imhoff AB, **Schöttle PB**.

Arch Orthop Trauma Surg. 2010 Mar;130(3):335-40. doi: 10.1007/s00402-009-0912-y.

[The coracoidal insertion of the coracoclavicular ligaments: an anatomic study.](#)

Salzmann GM, Paul J, Sandmann GH, Imhoff AB, **Schöttle PB**.

Am J Sports Med. 2008 Dec;36(12):2392-7. doi: 10.1177/0363546508322887.

[Anatomical reconstruction of the medial patellofemoral ligament using a free gracilis autograft.](#)

Schöttle P, Schmelting A, Romero J, Weiler A.

Arch Orthop Trauma Surg. 2009 Mar;129(3):305-9. doi: 10.1007/s00402-008-0712-9.

[Arthroscopic anatomical reconstruction of the acromioclavicular joint.](#)

Salzmann GM, Walz L, **Schoettle PB**, Imhoff AB.

Acta Orthop Belg. 2008 Jun;74(3):397-400.

[A comparison of techniques for fixation of the quadriceps muscle-tendon complex for in vitro biomechanical testing of the knee joint in sheep.](#)

Schöttle P, Goudakos I, Rosenstiel N, Hoffmann JE, Taylor WR, Duda GN, Heller MO.

Med Eng Phys. 2009 Jan;31(1):69-75. doi: 10.1016/j.medengphy.2008.04.010.

[Indirect MR-arthrography in osteochondral autograft and crushed bone graft with a collagen membrane—correlation with histology.](#)

Streitparth F, **Schöttle P**, Schell H, Lehmkuhl L, Madej T, Wieners G, Duda GN, Schröder RJ.

Eur J Radiol. 2009 Apr;70(1):155-64. doi: 10.1016/j.ejrad.2008.01.008.

[Fibrosis and adventitious bursae in plantar fat pad of forefoot: MR imaging findings in asymptomatic volunteers and MR imaging-histologic comparison.](#)

Studler U, Mengiardi B, Bode B, **Schöttle PB**, Pfirrmann CW, Hodler J, Zanetti M.

Radiology. 2008 Mar;246(3):863-70. doi: 10.1148/radiol.2463070196.

[Magnetic resonance imaging for patellofemoral malalignment.](#)

Schottle PB.

Arthroscopy. 2007 Mar;23(3):333-4; author reply 334.

[Technical note: anatomical reconstruction of the medial patellofemoral ligament using a free gracilis autograft.](#)

Schöttle PB, Romero J, Schmeling A, Weiler A.

Arch Orthop Trauma Surg. 2008 May;128(5):479-84. Epub 2007 Feb 24.

[Management of posterior cruciate ligament reconstruction after previous isolated anterior cruciate ligament reconstruction.](#)

Weiler A, Jung TM, Lubowicki A, Wagner M, **Schöttle PB**.

Arthroscopy. 2007 Feb;23(2):164-9.

[Radiographic landmarks for femoral tunnel placement in medial patellofemoral ligament reconstruction.](#)

Schöttle PB, Schmeling A, Rosenstiel N, Weiler A.

Am J Sports Med. 2007 May;35(5):801-4. Epub 2007 Jan 31.

[Arthroscopic medial retinacular repair after patellar dislocation with and without underlying trochlear dysplasia: a preliminary report.](#)

Schöttle PB, Scheffler SU, Schwarck A, Weiler A.

Arthroscopy. 2006 Nov;22(11):1192-8.

[Cartilage viability after trochleoplasty.](#)

Schöttle PB, Schell H, Duda G, Weiler A.

Knee Surg Sports Traumatol Arthrosc. 2007 Feb;15(2):161-7.

[CT changes after trochleoplasty for symptomatic trochlear dysplasia.](#)

Fucentese SF, **Schöttle PB**, Pfirrmann CW, Romero J.

Knee Surg Sports Traumatol Arthrosc. 2007 Feb;15(2):168-74.

[Magic angle effect in MR imaging of ankle tendons: influence of foot positioning on prevalence and site in asymptomatic subjects and cadaveric tendons.](#)

Mengiardi B, Pfirrmann CW, **Schöttle PB**, Bode B, Hodler J, Vienne P, Zanetti M.

Eur Radiol. 2006 Oct;16(10):2197-206. Epub 2006 Mar 28.

[The patella morphology in trochlear dysplasia—a comparative MRI study.](#)

Fucentese SF, von Roll A, Koch PP, Epari DR, Fuchs B, **Schöttle PB**.

Knee. 2006 Mar;13(2):145-50.

[Two-stage reconstruction with free vascularized soft tissue transfer and conventional bone graft for infected nonunions of the tibia: 6 patients followed for 1.5 to 5 years.](#)

Schöttle PB, Werner CM, Dumont CE.

Acta Orthop. 2005 Dec;76(6):878-83.

[Trochleaplasty for patellar instability due to trochlear dysplasia: A minimum 2-year clinical and radiological follow-up of 19 knees.](#)

Schöttle PB, Fucentese SF, Pfirrmann C, Bereiter H, Romero J.

Acta Orthop. 2005 Oct;76(5):693-8.

[Spring ligament complex: MR imaging-anatomic correlation and findings in asymptomatic subjects.](#)

Mengiardi B, Zanetti M, **Schöttle PB**, Vienne P, Bode B, Hodler J, Pfirrmann CW.

Radiology. 2005 Oct;237(1):242-9. Epub 2005 Aug 18.

[The tibial tuberosity-trochlear groove distance; a comparative study between CT and MRI scanning.](#)

Schoettle PB, Zanetti M, Seifert B, Pfirrmann CW, Fucentese SF, Romero J.

Knee. 2006 Jan;13(1):26-31.

[Reconstruction of the medial patellofemoral ligament for painful patellar subluxation in distal torsional malalignment: a case report.](#)

Schoettle PB, Werner CM, Romero J.

Arch Orthop Trauma Surg. 2005 Nov;125(9):644-8.

[Clinical and radiological outcome of medial patellofemoral ligament reconstruction with a semitendinosus autograft for patella instability.](#)

Schöttle PB, Fucentese SF, Romero J.

Knee Surg Sports Traumatol Arthrosc. 2005 Oct;13(7):516-21.

[\[Refixation of the meniscus with the SD meniscal staple: a comparative biomechanical study on cadaver knees\].](#)

Schoettle PB, Fredrich H, Steinhauser E, Imhoff AB.

Unfallchirurg. 2003 Feb;106(2):114-20.

[\[Surgical therapeutic possibilities of cartilage damage\].](#)

Burkart AC, **Schoettle PB**, Imhoff AB.

Unfallchirurg. 2001 Sep;104(9):798-807.

[\[Operative therapy of osteochondral lesions of the talus with autologous cartilage-bone transplantation\].](#)

Schöttle PB, Oetli GM, Agneskirchner JD, Imhoff AB.

Orthopade. 2001 Jan;30(1):53-8.

[\[Transplantation of osteochondral cylinders in various joints—technique and initial results\].](#)

Schöttle PB, Agneskirchner JD, Imhoff AB.

Z Orthop Ihre Grenzgeb. 2000 Nov-Dec;138(6):Oa1-5. German.

Hensler D., Silaanpaa P., **Schöttle PB**.

Medial patellofemoral ligament: anatomy, injury and treatment in the adolescent knee.

Current Opinion of Pediatrics. Volume 26, Number 1, February 2014.

Becher C., Ostermeier S., **Schöttle P**.

Das vordere Knieschmerzsyndrom – Teil 1: Grundlagen, Anamnese, klinische und bildgebende Untersuchung

Orthopädie und Unfallchirurgie up2date 8 / 2013.

Becher C., Ostermeier S., **Schöttle P**.

Das vordere Knieschmerzsyndrom – Teil 2: Konservative und operative Therapie

Orthopädie und Unfallchirurgie up2date 8 / 2013.

Pässler H.H. und **Schöttle P.B**.

Das Femoropatellargelenk: Was gibt es Neues? Teil 2: Bildgebende Verfahren

ATOS News 18, 2012, 32-38

Schöttle P.B., Ostermeier S.

Die patellofemorale Arthrose

Arthroskopie, 2012, 25,3: 204-214

Schöttle PB, Lattermann C.

Therapie der patellofemorale Arthrose beim jungen Patienten

Arthroskopie, 2010, 23:215 – 223

Meidinger G., **Schöttle P.B.**

Pathogenese und Diagnostik der patellofemorale Arthrose

Arthroskopie, 2010, 23, 3: 201-207

Hensler D., **Schöttle P.B.**

Erweiterte Indikation für die Rekonstruktion des medialen patellofemorale Ligamentes

Arthroskopie, 2010, 23: 184-190

Schöttle P.B. Hensler D., Imhoff A.B.

Die direkte anatomische rekonstruktion des Lig. patellofemorale mediale in Double Bundle Technik – „aperture fixation“

Arthroskopie, 2010, 23: 151-160

Schöttle P.B., Hensler D.

Die patellofemorale Instabilität

Orthopädische Praxis 46, 1, 2010, 585 – 594

Schöttle P.B., Hensler D.

Therapie der patellofemorale Arthrose

Arthroskopie, 2009, 22:205-216

Schöttle P.B., Bietzel K., Imhoff A.B.

Die kindliche Patellaluxation

Arthroskopie, 2009, 22:51-59

Schöttle PB

Importance and Radiographic Identification of the Femoral Insertion in Medial Patellofemoral Ligament Reconstruction

In: Zaffagnini S., Dejour D., Arendt E.A.: Patellofemoral Pain, Instability, and Arthritis, pp181-184

Springer Verlag 2010

Blönd L, **Schöttle P**

Arthroscopic Deepening Trochleoplasty for Patellar Instability

In: Zaffagnini S., Dejour D., Arendt E.A.: Patellofemoral Pain, Instability, and Arthritis, pp233-236

Springer Verlag 2010

Schoettle PB

MPFL reconstruction

In: Sanchis-Alfonso V., Anterior Knee Pain and Patellar Instability.

2nd Edition Springer Verlag 2011

Schoettle PB

– Importance and radiographic identification of the femoral insertion in MPFL

– inlay or onlay patellofemorale arthroplasty

– anatomical double bundle MPFL reconstruction

All in: D Dejour, 15eme Journees Lyonnais de Chirurgie de Genou, La Patella

Schottle PB

MPFL repair and reconstruction

In: West, R. and Colvin, A., The Patellofemoral Joint in the Athlete. Springer Science and Business 2013.

1. AGA Forschungsförderung September 2007

„Die autologe Matrix-assoziierte Chondrozytenimplantation (MACI) im Kaninchenmodell“

Dt. Arthroshilfe 2008 :

Auftrag 8824513

„Klinische und MR-Tomographische Langzeitergebnisse nach Eingriffen am distalen Streckapparat zur Behandlung der patellofemorale Instabilität“

Poliklinik für Sportorthopädie des Klinikums rechts der Isar, Technische Universität München